

Bethesda Water
Supply Corporation
PO Box 130
509 S Burleson Blvd
Burleson, TX 76097-0130

BETHESDA WATER SUPPLY CORPORATION

2022 WATER QUALITY REPORT

Contact Information

Physical Address: 509 S. Burleson Blvd. Burleson, Texas 76028

Mailing Address: P.O. Box 130 Burleson, TX 76097

Business Hours: 8:00 a.m. to 5:00 p.m. Monday-Friday

Website: www.bethesdawatersupply.com

Meter Reading email: meterreadings@bethesdawatersupply.com

Office Phone (817) 295-2131

Fax (817) 447-9370

24 hour Bill Pay by Phone (877) 258-9445

EPA Drinking Water Hotline: (800) 426-4791

After hours emergencies: (817) 295-2131

Board of Directors

Harold Moore	President	Steve Sievers	General Manager
Bob Wolfe	Vice President	Amanda Tate	Office Administrator
Grady Lewis	Secretary/Treasurer	Chad Crafton	Operations Superintendent
Melvin Ables	Director		
Marianna Wilson	Director		
Gene Young	Director		
Robert Hardin	Director		

Management Staff

En Espanola

Este informe contiene información muy importante sobre el agua que usted bebe. Tradúzcalo ó hable con alguien que lo entienda bien.

SPECIAL NOTICE FOR THE ELDERLY, INFANTS, CANCER PATIENTS, PEOPLE WITH HIV/AIDS, OR OTHER IMMUNE PROBLEMS

You may be more vulnerable than the general population to certain microbial contaminants, such as Cryptosporidium in drinking water. Infants, some elderly or immune-compromised persons such as those undergoing chemotherapy for cancer; those who have undergone organ transplants; those who are undergoing treatment with steroids; and people with HIV/AIDS or other immune system disorders can be particularly at risk from infections. You should seek advice about drinking water from your physician or health care provider. Additional guidelines on appropriate means to lessen the risk of infection by Cryptosporidium contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

******Warning******

A dual check/backflow assembly valve may have been installed at the meter in the service line serving your residence. This installation creates a closed system. It is necessary that all water heaters have a working pressure relief valve (pop-off valve) to guard against damage from high pressure created by thermal expansion.

Water Restrictions

Bethesda Water Supply Corporation is contractually obligated to impose the same watering restrictions as the City of Fort Worth does on its' customers. Landscape watering is limited as scheduled below: **Watering lawns with irrigation systems or sprinklers is prohibited between the hours of 10:00 a.m. – 6:00 p.m. year round.**

Landscape watering is limited to the following twice per week schedule.

- Watering with a soaker hose, drip irrigation or by hand is allowed at any time Exceptions:
- Foundations may be watered up to two hours on any day using a handheld hose, soaker hose or drip irrigation system placed within 24 inches of the foundation.
- Establishing new turf is discouraged. If hydro mulch, grass sod, or grass seed has been installed, watering is allowed for the first 30 days to establish roots. After that, the above schedule applies. This does not include over-seeding.
- All users are encouraged to reduce the frequency of draining and refilling swimming pools.
- Washing of any motorized vehicle is limited to a hand-held bucket or a hand-held hose equipped with a positive-pressure shutoff nozzle for quick rinses. Vehicle washing may be done at any time on the premises of a commercial car wash or commercial service station.

Watering Schedule

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
No Outdoor Watering	Non-Residential	Residential Address Ending in (0, 2, 4, 6, 8)	Residential Address Ending in (1, 3, 5, 7, 9)	Non-Residential	Residential Address Ending in (0, 2, 4, 6, 8)	Residential Address Ending in (1, 3, 5, 7, 9)

ABOUT BETHESDA WATER SUPPLY CORPORATION

Bethesda Water Supply Corp. (BWSC) is a non-profit organization governed by a Board of Directors elected by the Membership. Monthly Board meetings are held at the Corporation's office on the third Tuesday of each month at 1:00 pm. Agenda topics are posted at the Johnson County and Tarrant County Courthouses, as well as the Bethesda WSC office. Membership meetings are held annually in March.

WHERE DO WE GET OUR DRINKING WATER?

Our drinking water is obtained from groundwater formations of the Paluxy and Trinity aquifers and blended with treated surface water purchased from the City of Fort Worth and City of Arlington Water Departments. City of Fort Worth uses water from Lake Bridgeport, Eagle Mountain Lake, Lake Worth, Lake Benbrook, Cedar Creek Reservoir and Richland Chambers Reservoir. City of Arlington also uses water from Lake Benbrook, Cedar Creek Reservoir and Richland Chambers Reservoir along with water from Lake Arlington. Texas Commission on Environmental Quality is updating a Source Water Susceptibility Assessment for your drinking water sources. This information describes the susceptibility and types of constituents that may come into contact with your drinking water source based on human activities and natural conditions. The information contained in the assessment allows us to focus source water protection strategies. Some of this source water assessment information is available on Texas Drinking Water Watch at <https://dww2.tceq.texas.gov/DWW/>. More information on source water assessments is available at https://www.tceq.texas.gov/drinkingwater/SWAP/index_swa.html.

Sources Of Water

Our Drinking Water Meets or Exceeds all Federal (EPA) Drinking Water Requirements

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline at (800) 426-4791.

The water Bethesda purchases from the City of Ft. Worth provides surface water from the Tarrant County Regional Water District reservoir.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Contaminants may be found in drinking water that may cause taste, color, or odor problems. These types of problems are not necessarily causes for health concerns. For more information on taste, odor, or color of drinking water, please contact the system's business office at (817) 295-2131.

NEW DIGITAL METERS

Digital meters will display 3 sets of information across the screen. Meter model type, true reading that includes leading & ending zeros & decimal, then the shorter version of reading. Customers that read their own meter are to provide the **true reading** which includes all digits and the decimal place. To detect a leak, if you have continuous water flow thru the meter for 24 hours without one 15 minute interval of no flow, then a water faucet symbol will appear below the Reading.



Status Indicator	Icon	Status Description	HR-E LCD Display	HR-E LCD with ORION Cellular or Fixed Network* and Migratable* Endpoints <small>*Firmware version 1.8 or higher required</small>
Meter functioning correctly		Encoder operating correctly.	Continuous display on encoder as long as no other status indicators are triggered.	Indicator status not sent to the endpoint.
Encoder alarm		Several potential conditions may exist, including: Encoder removal Temperature limit exceeded (34...140° F) Magnetic tamper	Encoder alarm remains active for 35 days. The alarm automatically clears after 35 days if any of the 3 conditions has not recurred.	Encoder alarm sent to the endpoint.
Reverse flow		Encoder detects reverse flow.	Reverse flow alarm remains active for 35 days. The alarm automatically clears after 35 days if reverse flow condition has not recurred.	Encoder detects reverse flow and sends alarm message to the endpoint.
Suspected leak		Encoder detects 24 hours without one 15-minute interval of no flow.	The alarm clears automatically when a 15-minute no-flow interval occurs.	Encoder detects suspected leak and sends alarm message to the endpoint. If condition clears before message is sent to the endpoint, it is not reported.
30 day no usage		No measured flow in past 30 days.	The alarm is automatically cleared once flow occurs.	Encoder detects 30 days no usage and sends alarm to the endpoint.
End of life battery indicator		Indicated battery life based on pre-calculated consumption.	Alarm activated at 19 years and does not clear.	Encoder sends alarm to the endpoint.

Reduced Pressure Principle Backflow Prevention Assembly Requirements


Landscape irrigation systems on property that have **On-Site Sewage Facilities** (such as a septic tank or aerobic system) are considered a health hazard cross-connection to the water system due to the potential of backflow from the sprinkler heads entering the public water supply. The Texas Commission on Environmental Quality (TCEQ) requires the installation of a **Reduced Pressure Principle Backflow Prevention Assembly (RP)** on irrigation systems that have on-site sewage facilities, chemical injection, or an additional water source.

Texas Administrative Code

<u>Title 30</u>	Environmental Quality
<u>Part 1</u>	Texas Commission on Environmental Quality
<u>Chapter 344</u>	Landscape Irrigation
<u>Subchapter E</u>	Backflow Prevention and Cross-Connections
<u>Rule § 344.51</u>	Specific Conditions and Cross-Connection Control

Existing irrigation systems installed when Double-Check Valve Assemblies were allowed will require a RP be installed after major irrigation system maintenance, alteration, repair, or service is performed.

All backflow assemblies are required to be tested when installed by a licensed backflow prevention tester. If a health hazard exists, the device must be tested annually thereafter. Original test results shall be provided to Bethesda Water Supply Corporation.



This report is intended to provide you with important information about your drinking water and the efforts made by the water system to provide safe drinking water.

Definitions: The following tables contain scientific terms and measures, some of which may require explanation.

Maximum Contaminant Level Goal (MCLG) The level of a contaminant in drinking water below which there is no known or expected health risk. MCLGs allow for a margin of safety.

Maximum Contaminant Level (MCL) The highest permissible level of a contaminant in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Residual Disinfectant Level (MRDL) The highest level of disinfectant allowed in drinking water. There is convincing evidence that the addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

Maximum Fibers Per Liter (MFL) A measure of asbestos.

NTU Nephelometric turbidity units. A measure of turbidity.

mrem Millirems per year (a measure of radiation absorbed by the body).

pCi/L Picocuries per liter. A measure of radioactivity.

Avg Regulatory compliance with some MCLs are based on running annual average of monthly samples.

ppm Parts per million, or milligrams per liter (mg/l). Example: a single penny in \$10,000, (\$01/\$10,000.00)

ppb Parts per billion, or micrograms per liter (ug/l). Example: a single penny in \$10,000,000. (\$01/\$10,000,000.00)

ppt Parts per trillion per liter.

ppq Parts per quadrillion per liter.

ppt Parts per trillion, or nanograms per liter (ng/L).

na not applicable

Action Level The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Action Level Goal (ALG) The level of a contaminant in drinking water below which there is no known or expected risk to health. ALGs allow for a margin of safety .

Level 1 Assessment A level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Level 2 Assessment A level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

Treatment Technique or TT: A required process intended to reduce the level of a contaminant in drinking water.

In the water loss audit submitted to the Texas Water Development Board for the time period of Jan-Dec 2022 our system lost an estimated 52,475,776 gallons of water (13.23% of total production). If you have any questions about the water loss audit please call **817-295-2131**.

Additional Health Information for Lead If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. This water supply is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <https://www.epa.gov/safewater/lead>.

Lead and Copper	Date Sampled	MCLG	Action Level (AL)	90th Percentile	#Sites Over AL	Unit s	Violation	Likely Source of Contaminant
Copper	2022	1.3	1.3	0.4368	0	ppm	N	Erosion of natural deposits; Leaching from wood preservatives; Corrosion of household plumbing systems.
Lead	2022	0	15	2.2	0	ppb	N	Corrosion of household plumbing systems; Erosion of natural deposits.

Disinfectant Residual	Year	Avg Level	Range of Levels Detected	MRDL	MRDLG	Unit of Measure	Violation (Y/N)	Source in Drinking Water
	2022	3.42	1.0-4.7	4	4	Mg/L	Ppm	Water additive used to control microbes.

NOTICE

This is an alert about your drinking water and cosmetic dental problem that might affect children under nine years of age. At low levels, fluoride can help prevent cavities, but children drinking water containing more than 2 milligrams per liter (mg/L) of fluoride may develop cosmetic discoloration of their permanent teeth (dental fluorosis). The drinking water provided by your community water system **Bethesda Water Supply Corporation** has a fluoride concentration of **2.31 ppm**.

Dental fluorosis, in its moderate or severe forms, may result in brown staining and/or pitting of the permanent teeth. This problem occurs only in developing teeth, before they erupt from the gums. Children under nine should be provided with alternative sources of drinking water or water that has been treated to remove the fluoride to avoid the possibility of staining and pitting of their permanent teeth. You may also want to contact your dentist about proper use by young children of fluoride-containing products. Older children and adults may safely drink the water.

For more information, please call Steve Sievers or Chad Crafton of Bethesda Water Supply Corporation at (817) 295-2131. Some home water treatment units are available to remove fluoride from drinking water. To learn more about available home water treatment units, you may call NSF International at 1-877-8-NSF-HELP.

Coliform Bacteria

MCLG	Total Coliform MCL	Highest No. of Positive	Fecal Coliform or E. Coli MCL	Total No. of Positive E. Coli or Fecal Coliform Samples			Violation	Likely Source of Contamination
0	1 Positive monthly sample	1		0			n	Naturally present in the environment
Radioactive Contaminants	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Combined Radium 226/228	10/17/2017	1.5	1.43-1.5	0	5	pCi/L	N	Erosion of natural deposits
Beta/photon emitters	11/01/2017	6.4	0-6.4	0	50	pCi/L	N	Decay of natural and man-made deposits.

*EPA considers 50 pCi/L to be the level of concern for beta particles.

Disinfectants and Disinfection By-Products	Collection Date	Range of Levels Detected	Highest Level Detected	MCLG	MCL	Unit	Violation	Likely Source of Contaminant
Haloacetic Acids (HAA5)	2022	0-13.1	13.1	No goal for the total	60	ppb	N	By-product of drinking water disinfection.
Total Trihalomethanes (TTHm)*	2022	0-20.2	20.2	No goal for the total	80	ppb	N	By-product of drinking water chlorination.

* The value in the Highest Level or Average Detected column is the highest average of all TTHM sample results collected at a location over a year.

Year	Disinfection	Average Level	Minimum Level	Maximum Level	MRDL	MRDLG	Unit of Measure	Violation Y?N	Source of Disinfection
2022	Chloramines	3.41	1.0	4.7	4	4	Ppm	N	Water additive used to control microbes.

Not all sample results may have been used for calculating the Highest Level Detected because some results may be part of an evaluation to determine where compliance sampling should occur in the future.

Synthetic organic contaminants including pesticides and herbicides	Collection Date	Highest Level Detected	Ranges of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Atrazine	2022	.1	0-0.1	3	3	ppb	N	Runoff from herbicide used on row crops.
Di (2-ethylhexyl) adipate	2022	0.5	0-0.5	400	400	Ppb	N	Discharge from chemical factories.

Inorganic Contaminant	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Unit	Violation	Likely Source of Contaminant
Arsenic	2022	1.7	0-1.8	No goal for the total	10	ppb	N	By-product of drinking water disinfection.
Asbestos	2012	0.7512	0.7512-.0.7512	7	7	MFL	N	Decay of asbestos cement water mains. Erosion of natural deposits.
Barium	2022	.058	.021-.058	2	2	ppm	N	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.
Chromium	2022	1.8	0-1.8	100	100	ppb	N	Discharge from steel and pulp mills; Erosion of natural deposits.
Cyanide	2022	197	0-197	200	200	ppb	N	Discharge from plastic and fertilizer factories; Discharge from steel/metal factories.
Fluoride	2022	2.31	.27-2.31	4	4.0	ppm	N	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories.
Nitrite (measured as Nitrogen)	2022	.672	.09-.672	1	1	ppm	N	Runoff from fertilizer use. Leaching from septic tanks, sewage. Erosion of natural deposits.
Nitrate (measured as Nitrogen)	2022	.672	.13-.672	10	10	ppm	N	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.

Nitrate Advisory - Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. *****If you are caring for an infant you should ask advice from your health care provider.*****

<p>*EPA considers 50 pCi/L to be the level pf concern for beta particles.</p>	Analyte	Method ID	Value/Range	Unit	Status	Sample Date
	Chromium-6	EPA 218.7	.0362-.111	ug/L	State hold	2013
	Molybdenum	EPA 200.8	1.28-2.18	ug/L	State hold	2013
	Strontium	EPA 200.8	75-1380	ug/L	State hold	2013
	Vanadium	EPA 200.8	.2-1.14	ug/L	State hold	2013

The TCEQ completed an assessment of your source water and results indicate that some of our sources are susceptible to certain contaminants. The sampling requirements for your water system are based on this susceptibility and previous sample data. Any detections of these contaminants may be found in this Consumer Confidence Report. For more information on source water assessments and protection efforts at our system, contact Chad Crafton at our office at (817) 295-2131.

Unregulated Contaminants Unregulated contaminants are those for which EPA has not established drinking water standards. The purpose of unregulated contaminant monitoring is to assist EPA in determining the occurrence of unregulated contaminants in drinking water and whether future regulation is warranted.

Contaminant	Measure	Range of Detects	2022 Level	MCL	MCLG	Common Source of Substance
Bromoform	ppb	0-3.24	.899	Not regulated	None	By-product of drinking water disinfection
Bromodichloro-methane	ppb	0-8.15	3.325	Not regulated	None	By-product of drinking water disinfection; not regulated individually; included in Total Trihalomethanes
Chloroform	ppb	0-6.53	3.875	Not regulated	70	By-product of drinking water disinfection; not regulated individually; included in Total Trihalomethanes
Dibromochloro-methane	ppb	1.96-5.90	2.155	Not regulated	60	By-product of drinking water disinfection; not regulated individually; included in Total Trihalomethanes
Monochloroacetic Acid	ppb	0-4.8	.716	Not regulated	70	By-product of drinking water disinfection; not regulated individually; included in Total Trihalomethanes
Dichloroacetic Acid	ppb	4.50-5.60	4.65	Not regulated	None	By-product of drinking water disinfection; not regulated individually; included in Total Trihalomethanes
Trichloroacetic Acid	ppb	0-1.1	1.1	Not regulated	20	By-products of drinking water disinfection; not regulated individually; included in Haloacetic Acids
Monobromoacetic Acid	ppb	0	0	Not regulated	None	By-products of drinking water disinfection; not regulated individually; included in Haloacetic Acids
Dibromoacetic Acid	ppb	1.0-1.90	1.46	Not regulated	None	By-products of drinking water disinfection; not regulated individually; included in Haloacetic Acids
Bromochloroacetic Acid	ppb	0-4.40	3.45	Not Regulated	None	By-products of drinking water disinfection; not regulated individually; included in Haloacetic Acids

<u>Volatile Organic Contaminants</u>	<u>Collection Date</u>	<u>Highest Level Detected</u>	<u>Range of Levels Detected</u>	<u>MCLG</u>	<u>MCL</u>	<u>Units</u>	<u>Violation</u>	<u>Likely Source of Contamination</u>
Ethylbenzene	2021	0	0	700	700	ppb	N	Discharge from petroleum refineries.
Xylenes	2021	0	0	10	10	ppm	N	Discharge from petroleum factories; Discharge from chemical factories.

Secondary Constituents This chart lists other items for which the water is tested. These items do not relate to public health but rather to the aesthetic effects. These items are often important to industrial users.

<u>Item</u>	<u>Measure</u>	<u>Range</u>	<u>Date</u>
Bicarbonate	mg/l	94.8-375	2021
Calcium	mg/l	37.8-58.5	2021
Chloride	mg/l	13.7-61.6	2021
Conductivity	umhoc/cm	296-1340	2021
Magnesium	mg/l	2.91-9.10	2021
Sodium	mg/l	15-35	2021
Sulfate	mg/l	22.6-263	2021
Iron	mg/l	0	2020
Potassium	mg/l	1.5-4.99	2020
Total Alkalinity as CaCO ₃	mg/l	61.4-389	2021
Total Dissolved Solids	mg/l	149-822	2021
Total Hardness as CaCO ₃	mg/l	107-183	2021

Regulated Contaminants

* The value in the Highest Level or Average Detected column is the highest average of all HAA5 sample results collected at a location over a year.

<u>525.3 UCMR4</u>	<u>MEASURE</u>	<u>RANGE</u>	<u>2019 LEVEL</u>	<u>MCL</u>
Alpha-BHC	ppb	0.0032	.0032	Not Required
Chlorpyrifos	ppb	0.0096	.0096	Not Required
Dimethipin	ppb	.064	.064	Not Required
Ethoprop	ppb	.0096	.0096	Not Required
Merphos-Oxone	ppb	.022	.022	Not Required
Oxyfluorfen	ppb	.016	.016	Not Required
Permethrin	ppb	.012	.012	Not Required
Profenofos	ppb	.096	.096	Not Required
Tebuconazole	ppb	.064	.064	Not Required

530 UCMR4 Semi volatiles	MEASURE	RANGE	2019 LEVEL	MCL
Butylated Hydroxy anisole	ppb	.0096	.0096	Not Required
Quinoline	ppb	.0064	.0064	Not Required
O-Toluidine	ppb	.0022	.0022	Not Required
541 UCMR4 Alcohols	MEASURE	RANGE	2019 LEVEL	MCL
n-Butanol	ppb	.67	.67	Not Required
2-Methoxyethanol	ppb	.13	.13	Not Required
2-Propen-1-O1 (Allyl alcohol)	ppb	.17	.17	Not Required
200.8 MET ICPMS UCMR	MEASURE	RANGE	2019 LEVEL	MCL
Germanium	ppb	.10-.49	.25	Not Required
Manganese	ppb	.40-4.19	1.18	Not Required
545 UCMR4 Algal Toxins	MEASURE	RANGE	2019 LEVEL	MCL
Anatoxin	ppb	.010	.010	Not Required
Cylindrospermopsin	ppb	.030	.030	Not Required